

Publikationsverzeichnis

Originalarbeiten

Nürnbergger L, Klein C, Baudrexel S, Roggendorf J, Hildner M, Chen S, Kang JS, **Hilker R**, Hagenah J. Ultrasound-based motion analysis demonstrates bilateral arm hypokinesia during gait in heterozygous PINK1 mutation carriers. *MovDisord*. 2015;30(3):386-92. doi: 10.1002/mds.26127.

Löbbe AM, Kang JS, **Hilker R**, Hackstein H, Müller U, Nolte D. A novel missense mutation in AFG3L2 associated with late onset and slow progression of spinocerebellar ataxia type 28. *J Mol Neurosci*. 2014;52(4):493-6

Kang JS, Klein JC, Baudrexel S, Deichmann R, Nolte D, **Hilker R**. White matter damage is related to ataxia severity in SCA3. *J Neurol* 2014;261(2):291-9

Baudrexel S, Seifried C, Penndorf B, Klein JC, Middendorp M, Steinmetz H, Grünwald F, **Hilker R**. The value of putaminal diffusion imaging versus FDG-PET for the differential diagnosis of the parkinson variant of multiple system atrophy. *MovDisord* 2014;29(3):380-7.

Weise L, Seifried C, Eibach S, Gasser T, Roeper J, Seifert V, **Hilker R**. Correlation of active contact position with the electrophysiological and anatomical subdivisions of the subthalamic nucleus in deep brain stimulation. *Stereotact Funct Neurosurg* 2013;91(5):298-305.

Hilker R, Pilatus U, Eggers C, Hagenah J, Roggendorf J, Baudrexel S, Klein JC, Neumaier B, Fink GR, Steinmetz H, Klein C, Hattingen E. The bioenergetic status relates to dopamine neuron loss in familial PD with PINK1 mutations. *PLoS One* 2012;7(12):e51308. doi:10.1371/journal.pone.0051308

Seifried C, Boehncke S, Heinzmann J, Baudrexel S, Weise L, Gasser T, Eggert K, Fogel W, Baas H, Badenhoop K, Steinmetz H, **Hilker R**. Diurnal variation of hypothalamic function and chronic STN stimulation in Parkinson's disease. *Neuroendocrinology* 2012 Nov 22.

Klein JC, Barbe MT, Seifried C, Baudrexel S, Runge M, Maarouf M, Gasser T, Hattingen E, Liebig T, Deichmann R, Timmermann L, Weise L, **Hilker R**. The tremor network targeted by successful VIM deep brain stimulation in humans. *Neurology* 2012;78(11):787-95. doi: 10.1212/WNL.0b013e318249f702

Brockmann K, **Hilker R**, Pilatus U, Baudrexel S, Srulijes K, Magerkurth J, Hauser AK, Schulte C, Csoti I, Merten CD, Gasser T, Berg D, Hattingen E. GBA-associated PD: neurodegeneration, altered membrane metabolism and lack of energy failure. *Neurology* 2012;79(3):213-20. doi: 10.1212/WNL.0b013e31825dd369

Roggenddorf J, Chen S, Baudrexel S, van de Loo S, Seifried C, **Hilker R**. Arm swing asymmetry in Parkinson's disease measured with ultrasound based motion analysis during treadmill gait. *Gait Posture* 2012;116-20. doi: 10.1016/j.gaitpost.2011.08.020

Brockmann K, Gröger A, Di Santo A, Liepelt I, Schulte C, Klose U, Maetzler W, Hauser AK, **Hilker R**, Gomez-Mancilla B, Berg D, Gasser T. Clinical and brain imaging characteristics in LRRK2 associated PD and asymptomatic mutation carriers. *MovDisord* 2011;26(13):2335-42

Balzer-Geldsetzer M, Ferreira Braga da Costa AS, Kronenbürger M, Schulz JB, Röske S, Wüllner U, Klockgether T, Storch A, Schneider C, Riedel O, Wittchen HU, Seifried C, **Hilker R**, Schmidt N, Witt K, Deuschl G, Mollenhauer B, Trenkwalder C, Liepelt-Scarfone I, Berg D, Gasser T, Kalbe E, Bodden M, Oertel WH, Dodel R. Parkinson's disease dementia: a longitudinal study (DEMPARK). *Neuroepidemiology* 2011;37(3-4):168-76

Seifried C, Weise L, Hartmann R, Gasser T, Baudrexel S, Szélenyi A, van de Loo S, Steinmetz H, Seifert V, Roeper J, **Hilker R**. Intraoperative microelectrode recording for the delineation of subthalamic nucleus topography in Parkinson's disease. *Brain Stimul* 2011;Jul;5(3):378-87. doi: 10.1016/j.brs.2011.06.002

Daniels C, Krack P, Volkmann J, Raethjen J, Pinski MO, Kloss M, Tronnier V, Schnitzler A, Wojtecki L, Bötzel K, Danek A, **Hilker R**, Sturm V, Kupsch A, Karner E, Deuschl G, Witt K. Is improvement in the quality of life after subthalamic nucleus stimulation in Parkinson's disease predictable? *MovDisord* 2011;26(14):2516-21

Witt K, Daniels C, Krack P, Volkmann J, Pinski MO, Kloss M, Tronnier V, Schnitzler A, Wojtecki L, Bötzel K, Danek A, **Hilker R**, Sturm V, Kupsch A, Karner E, Deuschl G. Negative impact of borderline global cognitive scores on quality of life after subthalamic nucleus stimulation in Parkinson's disease. *J NeuroSci* 2011;310(1-2):261-6

Borghammer P, Hansen SB, Eggert C, Chakravarty MM, Vang K, Aanerud JF, **Hilker R**, Heiss WD, Rodell A, Munk OL, Keator D, Gjedde A. Glucose metabolism in small subcortical structures in Parkinson's disease. *ActaNeuroScand* 2012;303-10. doi: 10.1111/j.1600-0404.2011.01556

Hübers A, Klein JC, Kang JS, **Hilker R**, Ziemann U. The relationship between TMS

measures of functional properties and DTI measures of microstructure of the corticospinal tract. *Brain Stimul* 2011;5(3):297-304. doi: 10.1016/j.brs.2011.03.008.

Baudrexel S, Witte T, Seifried C, von Wegner F, Beissner F, Klein JC, Steinmetz H, Deichmann R, Roeper J, **Hilker R**. Resting state fMRI reveals increased subthalamic nucleus- motor cortex connectivity in Parkinson's disease. *Neuroimage* 2011;55(4):1728-1738

Kang JS, Terranova C, **Hilker R**, Quartarone A, Ziemann U. Deficient homeostatic regulation of practice-dependent plasticity in writer's cramp. *CerebCortex* 2010;21(5):1203-12

Baudrexel S, Nürnberger L, Rüb U, Seifried C, Klein JC, Deller T, Steinmetz H, Deichmann R, **Hilker R**. Quantitative mapping of T1 and T2* discloses nigral and brainstem pathology in early Parkinson's disease. *Neuroimage* 2010;51(2):512-20

Klein JC, Lorenz B, Kang JS, Baudrexel S, Seifried C, van de Loo S, Steinmetz H, Deichmann R, **Hilker R**. Diffusion tensor imaging of white matter involvement in Essential Tremor. *Hum Brain Mapp* 2010;32(6):896-904

Klein JC, Eggers C, Kalbe E, Weisenbach S, Hohmann C, Vollmar S, Baudrexel S, Diederich NJ, Heiss WD, **Hilker R**. Neurotransmitter changes in dementia with Lewy bodies and Parkinson disease dementia in vivo. *Neurology* 2010;74:885-92

Eggers C, Schmidt A, Hagenah J, Brüggemann N, Klein JC, Tadic V, Kertelge L, Kasten M, Binkofski F, Siebner HR, Neumaier B, Fink GR, **Hilker R**, Klein C. Progression of subtle motor signs in PINK1 mutation carriers with mild dopaminergic deficit. *Neurology* 2010;74(22):1798-805

Van de Loo S, Walter U, Behnke S, Hagenah J, Lorenz MW, Sitzer M, **Hilker R**, Berg D. Reproducibility and diagnostic accuracy of substantianigrasonography for the diagnosis of Parkinson's disease. *J NeurolNeurosurgPsychiatr* 2010;81(10):1087-92

Daniels C, Krack P, Volkmann J, Pinker MO, Krause M, Tronnier V, Kloss M, Schnitzler A, Wojtecki L, Bötzel K, Danek A, **Hilker R**, Sturm V, Kupsch A, Karner E, Deuschl G, Witt K. Risk factors for executive dysfunction after subthalamic stimulation in Parkinson's disease. *MovDisord* 2010;25(11):1583-9

Hattingen E, Magerkurth J, Pilatus U, Mozer A, Seifried C, Steinmetz H, Zanella F, **Hilker R**. 31P and 1H MR spectroscopy demonstrates mitochondrial dysfunction in early and advanced Parkinson's disease. *Brain* 2009;132:3285-97

Baudrexel S, Volz S, Preibisch C, Klein JC, Steinmetz H, **Hilker R**, Deichmann R. Rapid Single-Scan T*2-Mapping Using Exponential Excitation Pulses and Image-Based Correction for Linear Background Gradients. *MagnReson Med*2009;62(1):263-8

Kalbe E, Voges J, Weber T, Haarer M, Baudrexel S, Klein JC, Kessler J, Sturm V, Heiss WD, **Hilker R**. Frontal FDG-PET activity correlates with cognitive outcome after STN-DBS in Parkinson disease. *Neurology* 2009;72:42-49

Eggers C, **Hilker R**, Burghaus L, Schumacher B, Heiss WD. High resolution positron emission tomography demonstrates basal ganglia dysfunction in early Parkinson's disease. *J NeurolSci*2009;276:27-30

Hilker R, Voges J, Weber T, Kracht LW, Roggendorf J, Baudrexel S, Hoevels M, Sturm V, Heiss WD. STN-DBS activates the target area in Parkinson's disease: a FDG-PET study. *Neurology* 2008;71:708-713

Tuin I, Voss U, Kessler K, Krakow K, **Hilker R**, Morales B, Steinmetz H, Auburger G. Sleep quality in a family with hereditary parkinsonism (PARK6). *Sleep Med* 2008;9(6):684-8

Kalbe E, Calabrese P, Kohn N, **Hilker R**, Riedel O, Wittchen HU, Dodel R, Otto J, Ebersbach G, Kessler J. Screening for cognitive deficits in Parkinson's disease with the Parkinson Neuropsychometric Dementia Assessment (PANDA) instrument. *Parkinsonism Rel Disord* 2008;14:93-101

Burghaus L, **Hilker R**, Dohmen C, Bosche B, Winhuisen L, Galldiks N, Szeliés B, Heiss WD. Early electroencephalography in acute ischemic stroke: prediction of a malignant course? *Clin Neurol Neurosurg* 2007;109:45-9

Witt K, Daniels C, Reiff J, Krack P, Volkmann J, Pinski M, Krause M, Tronnier V, Schnitzler A, Wojtecki L, Bötzel K, Danek A, **Hilker R**, Sturm V, Kupsch A, Karner E, Deuschl G. Neuropsychological and psychiatric changes after deep brain stimulation for Parkinson's disease are limited to executive functions: a randomized, controlled, multicenter study. *Lancet Neurol* 2008; 7(7):605-14

Hagenah JM, König IR, Becker B, **Hilker R**, Kasten M, Hedrich K, Pramstaller PP, Klein C, Seidel G. Substantianigrahypercchogenicity correlates with clinical status and number of *Parkin* mutated alleles. *J Neurol* 2007;254(10):1407-1413

Voges J, **Hilker R**, Boetzel K, Kiening KL, Kloss M, Kupsch A, Schnitzler A, Schneider GH, Steude U, Deuschl G, Pinski MO. 30-days complication rate following surgery performed for Deep-Brain-Stimulation. *Mov Disord* 2007;22:1486-1489

Kalbe E, Grabenhorst F, Brand M, Kessler J, **Hilker R**, Markowitsch H. Elevated emotional reactivity in affective but not cognitive components of theory of mind: a psychophysiological study. *J Neuropsychol* 2007;1:27-38

Binkofski F, Reetz K, Gaser C, **Hilker R**, Hagenah JM, Hedrich K, van Eimeren T, Thiel A, Büchel C, Pramstaller PP, Siebner HR, Klein C. Morphometric fingerprint of asymptomatic *Parkin* and *PINK1* mutation carriers in the basal ganglia. *Neurology* 2007;69(9): 842-850

Hedrich K, Hagenah J, Djarmati A, Hiller A, Lohnau T, Lasek K, Grünwald A, **Hilker R**, Steinlechner S, Boston H, Kock N, Schneider-Gold C, Kress W, Siebner H, Binkofski F, Lencer R, Münchau A, Klein C. Clinical spectrum of homo- and heterozygous *PINK1* mutations in a large German family with Parkinson's disease: Role of a single hit? *Arch Neurol* 2006;63:833-838

Deuschl G, Schade-Brittinger C, Krack P, Volkmann J, Schäfer H, Bötzel K, Daniels C, Deutschlander A, Dillmann U, Eisner W, Gruber D, Hamel W, Herzog J, **Hilker R**, Klebe S, Kloß M, Koy J, Krause M, Kupsch A, Lorenz D, Lorenzl S, Mehdorn HM, Moringlane JR,

Oertel W, Pinsker MO, Reichmann H, Reuss A, Schneider GH, Schnitzler A, Steude U, Sturm V, Timmermann L, Tronnier V, Trottenberg T, Wojtecki L, Wolf E, Poewe W, Voges J, The German Parkinson Study Group, Neurostimulation Section. DBS for Parkinson's disease : a 6-month randomized, controlled trial. *N Engl J Med* 2006; 355:896-908

Hilker R, Portman AT, Voges J, Staal MJ, Burghaus L, van Laar T, Koulousakis A, Maguire RP, Pruim J, de Jong BM, Herholz K, Sturm V, Heiss WD, Leenders KL. Disease progression continues in patients with advanced Parkinson's disease and effective subthalamic nucleus stimulation. *J Neurol Neurosurg Psychiatry* 2005;76:1217-1221

Hilker R, Schweitzer K, Coburger S, Ghaemi M, Weisenbach S, Jacobs AH, Rudolf J, Herholz K, Heiss W.D. Progression of Parkinson's disease is non-linear as determined by serial PET imaging of striatal [¹⁸F]Fluorodopa activity. *Arch Neurol* 2005;62:378-382

Hilker R, Thomas AV, Klein JC, Weisenbach S, Kalbe E, Burghaus L, Jacobs AH, Herholz K, Heiss WD. Dementia in Parkinson's disease: functional imaging of cholinergic and dopaminergic pathways. *Neurology* 2005;65:1716-1722

Rueger MA, Winkeler A, Miletic H, Kaestle C, Richter R, Schneider G, **Hilker R**, Heneka M, Ernestus RI, Hampf JA, Fraefel C, Jacobs AH. Variability in infectivity of primary cell cultures of human brain tumors with HSV-1 amplicon vectors. *Gene Ther* 2005;12:588-596

Sobesky J, Thiel A, Ghaemi M, **Hilker R**, Rudolf J, Jacobs AH, Herholz K, Heiss WD. Crossed cerebellar diaschisis in acute human stroke: a PET study of serial changes and response to supratentorial reperfusion. *J Cereb Blood Flow Metab* 2005;25(12):1685-91

Schweitzer K, **Hilker R**, Walter U, Burghaus L, Berg D. Substantianigra hyperechogenicity as a marker of predisposition and slower progression in Parkinson's disease. *Mov Disord* 2006;21(1):94-8

Pramstaller PP, Schlossmacher MG, Jacques TS, Scaravilli F, Eskelson C, Pepivani I, Hedrich K, Adel S, Gonzales-McNeal M, **Hilker R**, Kramer PL, Klein C. Lewy body parkinsonism in a large pedigree with 77 parkin mutation carriers. *Ann Neurol* 2005;58:411-422

Jacobs AH, Thomas AV, Kracht LW, Huongfeng L, Dittmar C, Garlip G, Galldiks N, Klein JC, Sobesky J, **Hilker R**, Vollmar S, Herholz K, Wienhard K, Heiss WD. 18F-Fluoro-L-thymidine and 11C-methyl-methionine as markers of increased transport and proliferation in brain tumors. *J Nucl Med* 2005;46:1948-1958

Hilker R, Voges J, Weisenbach S, Kalbe E, Burghaus L, Ghaemi M, Lehrke R, Koulousakis

A, Herholz K, Sturm V, Heiss WD. Subthalamic nucleus stimulation restores glucose metabolism in associative and limbic cortices and in cerebellum: evidence from a FDG-PET study in advanced Parkinson's disease. *J Cereb Blood Flow Metab* 2004;24:7-16

Brand M, Labbuda K, Kalbe E, **Hilker R**, Emmans D, Fuchs G, Kessler J, Markowitsch HJ. Decision-making impairments in patients with Parkinson's disease. *BehavNeurol* 2004; 15:77-85

Walter U, Klein C, **Hilker R**, Benecke R, Pramstaller PP, Dressler D. Brain parenchyma sonography detects preclinical parkinsonism. *MovDisord* 2004;19:1445-1449

Hedrich K, Djarmati A, Schafer N, Hering R, Wellenbrock C, Weiss PH, **Hilker R**, Vieregge P, Ozelius LJ, Heutink P, Bonifati V, Schwinger E, Lang AE, Noth J, Bressman SB, Pramstaller PP, Riess O, Klein C. DJ-1 (PARK7) mutations are less frequent than Parkin (PARK2) mutations in early-onset Parkinson disease. *Neurology* 2004;62:389-394

Hilker R, Razai N, Ghaemi M, Weisenbach S, Rudolf J, Szelies B, Heiss WD. [¹⁸F]fluorodopa uptake in the upper brainstem measured with positron emission tomography correlates with decreased REM sleep duration in early Parkinson's disease. *ClinNeurolNeurosurg* 2003;105:262-269

Hilker R, Poetter C, Findeisen N, Sobesky J, Jacobs A, Neveling M, Heiss WD. Nosocomial pneumonia after acute stroke: implications for neurological intensive care medicine. *Stroke* 2003;34:975-981

Hilker R, Voges J, Ghaemi M, Lehrke R, Rudolf J, Koulousakis A, Herholz K, Wienhard K, Sturm V, Heiss WD. Deep brain stimulation of the subthalamic nucleus does not increase the striatal dopamine concentration in parkinsonian humans. *MovDisord* 2003;18: 41-48
Thiel A, **Hilker R**, Kessler J, Habedank B, Herholz K, Heiss WD. Activation of basal ganglia loops in idiopathic Parkinson's disease: a PET study. *J Neural Transm* 2003;110: 1289-1301

Maarouf M, Kuchta J, Miletic M, Hesselmann V, Ebel H, **Hilker R**, Sturm V. Acute brain demyelination: diagnostic difficulties and the need for brain biopsy. *Acta Neurochirurgica* 2003;145:961-9

Zolldann D, Poetter C, **Hilker R**, Neveling M, Klein W, Nolden-Koch M, Block F, Wenchel HM, Lemmen SW. Periodische Surveillance nosokomialer Infektionen auf zwei neurologischen Intensivstationen: Ein wertvolles Instrument für das intensivmedizinische Qualitätsmanagement. *Anaesthesist* 2003;52:690-696

Hilker R, Voges J, Thiel A, Ghaemi M, Herholz K, Sturm V, Heiss WD. Deep brain stimulation of the subthalamic nucleus versus levodopa challenge in Parkinson's disease: measuring the on- and off-conditions with FDG-PET. *J NeuralTransm*2002;109:1257-1264

Hilker R, Klein C, Hedrich K, Ozelius LJ, Vieregge P, Hehrholz K, Pramstaller PP, Heiss WD. The striatal dopaminergic deficit is dependent on the number of mutated alleles in *parkin*-associated parkinsonism: first evidence for enzymatic parkin function in humans. *NeurosciLett* 2002;323:50-54

Ghaemi M, **Hilker R**, Rudolf J, Sobesky J, Heiss WD. Differentiating multiple system atrophy from Parkinson's disease: contribution of striatal and midbrain MRI volumetry and multi-tracer PET imaging. *J NeurolNeurosurg Psychiatry* 2002;73:517-523

Ghaemi M, Raethjen J, **Hilker R**, Rudolf J, Sobesky J, Deuschl G, Heiss WD. Monosymptomatic resting tremor and Parkinson's disease – a PET study. *MovDisord*2002;17:782-788

Hilker R, Schischniaschvili M, Ghaemi M, Jacobs A, Rudolf J. Health-Related Quality of Life is improved by Botulinum Neurotoxin Type A in long-term treated patients with focal dystonia. *J NeurolNeurosurg Psychiatry* 2001;71:193-199

Hilker R, Klein C, Ghaemi M, Kis B, Strotmann T, Ozelius LJ, Lenz O, Vieregge P, Herholz K, Heiss WD, Pramstaller PP. Positron emission tomographic analysis of the nigrostriatal dopaminergic system in autosomal recessive parkinsonism associated with mutations in the *parkin* gene. *Ann Neurol*2001;49:367-376

Ghaemi M, Rudolf J, **Hilker R**, Würker M, Heiss WD. Increased pineal FDOPA uptake is related to severity of Parkinson's disease – a PET study. *J Pineal Res* 2001;30:213-219

Rudolf J, Grond M, **Hilker R**, Ghaemi M, Jacobs A, Heiss WD. Relative sparing of the parietal cortex in cerebellar ataxia documented by positron emission tomography. *ClinNeurolNeurosurg*2000;102:210-214

Hilker R, Zakzuk M, Schneeweis S, Rudolf J, Jacobs A, Neveling M. Nosokomiale Pneumonie nach akutem ischämischen Hirnsinult: Inzidenz und Risikofaktoren in der neurologischen Intensivmedizin. *Intensivmed*1999;36:526-533

Mielke R, **Hilker R**, Weber-Luxenburger G, Kessler J, Heiss WD. Early-onset cerebellar ataxia (EOCA) with retained reflexes: reduced cerebellar benzodiazepine-receptor

binding, progressive metabolic and cognitive impairment. *MovDisord* 1998;13:739-745

Übersichtsarbeiten und Fallberichte

Löbbe AM, Kang JS, **Hilker R**, Hackstein H, Müller U, Nolte D. A novel missense mutation in AFG3L2 associated with late onset and slow progression of spinocerebellar ataxia type 28. *J MolNeurosci* (in press)

Hilker R, Brotchie JM, Chapman J. Pros and cons of a prion-like pathogenesis in Parkinson's disease. *BMC Neurol* 2011,Jun 20;11:74

Oberschmidt C, **Hilker R**, Kang JS. Neues zu Neurologischen Bewegungsstörungen 2011. *Akt Neurol* 2011;38:222-33

Ebersbach G, **Hilker R**. Medikamentenpumpen und Tiefe Hirnstimulation in der Parkinsontherapie. Welche Therapie für welche Patienten? *Akt Neurol* 2011;38:S39-S42

Hilker R, Sixel-Döring F. Erfahrungen zum perioperativen Einsatz von Apomorphin bei Patienten mit idiopathischem Parkinson-Syndrom. *AktNeurol* 2011;38:S43-S45

Hilker R, Antonini A, Odin P. What is the best treatment for advanced fluctuating Parkinson's disease: continuous drug delivery or deep brain stimulation of the subthalamic nucleus? *J Neural Transm* 2010;118(6):907-14

Baudrexel S, Klein JC, Deichmann, **Hilker R**. MRI techniques and applications in Parkinson's disease. *Nervenarzt* 2010;81(10):1180-8

Hilker R. Functional brain imaging of deep brain stimulation in idiopathic Parkinson's disease. *Nervenarzt* 2010;81(10):1204-7

Schnitzler A, Fuchs G, Baas H, Dillmann U, **Hilker R**, Oechsner M. Early deep brain stimulation for Parkinson's disease. *FortschrNeurolPsychiatr* 2010;87(suppl1):37-40

Timmermann L, Deuschl G, Fogel W, **Hilker R**, Kupsch A, Lange M, Schrader C, Sixel-Döring F, Volkmann J, Benecke R. Deep brain stimulation for tremor in multiple sclerosis. Consensus recommendations of the Deep Brain Stimulation Association. *Nervenarzt* 2009;80(6):673-677

Schrader C, Benecke R, Deuschl G, **Hilker R**, Kupsch A, Lange M, Sixel-Döring F, Timmermann L, Volkmann J, Fogel W. Deep brain stimulation for dystonia. Consensus recommendations of the German Deep Brain Stimulation Association. *Nervenarzt* 2009;80(6):656-661

Sixel-Döring F, Benecke R, Fogel W, **Hilker R**, Kupsch A, Lange M, Schrader C, Timmermann L, Volkmann J, Deuschl G. Deepbrainstimulationfor essential tremor. Consensus recommendationsofthe German Deep Brain Stimulation Association. *Nervenarzt* 2009;80(6):662-665

Hilker R, Benecke R, Deuschl G, Fogel W, Kupsch A, Schrader C, Sixel-Döring F, Timmermann L, Volkmann J, Lange M. Deep brain stimulation for Parkinson's disease. Consensus recommendations of the German Deep Brain Stimulation Association. *Nervenarzt* 2009;80(6):646-655

Wüllner U, Buhmann C, **Hilker R**, Hummel S, Korchounov A, Müller T, Paulus W, Schwartz A. Therapie der Zukunft. Future therapeuticoptions in Parkinson'sdisease. *Akt Neurol* 2007;34:18-20

Rueger MA, Kracht LW, **Hilker R**, Thiel A, Sobesky J, Winkeler A, Thomas AV, Heneka MT, Graf R, Herholz K, Heiss WD, Jacobs AH. Role of in vivo imaging of the central nervous system for developing novel drugs. *Q J Nucl Med Mol Imaging* 2007;51:164-181

Hilker R, Burghaus L, Razai N, Jacobs AH, Szelies B, Heiss WD. Functional brain imaging in combined motor and sleep disorders. *J NeuroSci* 2006;248:223-226

Heiss WD, **Hilker R**. The sensitivity of 18-fluorodopa positron emission tomography and magnetic resonance imaging in Parkinson's disease. *Eur J Neurol* 2004;11:5-12
Jacobs AH, Li H, Winkeler A, **Hilker R**, Knoess C, Rueger A, Galldiks N, Schaller B, Sobesky J, Kracht L, Monfared P, Klein M, Vollmar S, Bauer B, Wagner R, Graf R, Wienhard K, Herholz K, Heiss WD. PET-basedmoleculairmaging in neuroscience. *Eur J Nucl MedMolImaging* 2003;30:1051-65

Jacobs AH, Winkeler A, Dittmar C, Gossmann A, Deckert M, Kracht L, Thiel A, Garlip G, **Hilker R**, Vollmar S, Kummer C, Graf R, Voges J, Wienhard K, Herholz K, Heiss WD. Molecular and functional imaging technology for the development of efficient treatment strategies for gliomas. *Technol Cancer Res Treat* 2002;1:1-18

Jacobs AH, Winkeler A, **Hilker R**, Dittmar C, Heiss WD. Prospects of molecular imaging in neurology. *J Cell Biochemsuppl.* 2002;39:98-109

Van de Loo S, Somasundaram S, Wagner M, Singer OC, Steinmetz H, **Hilker R**. Dysphagia in symptomatic palatal tremor. *MovDisord*2010;25(9):1304-5

Kang JS, Krakow K, Roggendorf J, Steinmetz H, **Hilker R**. Botulinum toxin treatment of epilepsiapartialis continua. *MovDisord* 2009;24:141-143

Roggendorf J, Vent J, Maarouf M, Haense C, Thiel A, Fink GR, **Hilker R**. Reversible hypogeusia during bilateral thalamic stimulation for essential tremor. *Nervenarzt* 2008;79(4):454-6

Galldiks N, Thiel A, Haense C, Fink GR, **Hilker R**. 11C-Flumazenil positron emission tomography demonstrates reduction of both global and local cerebral benzodiazepine receptor binding in a patient with Stiff Person Syndrome. *J Neurol*2008; 255:1361-64

Roggendorf J, Burghaus L, Liu WL, Weisenbach S, Eggers C, Fink GR, **Hilker R**. Belly dancer's syndrome following central pontine and extrapontinemyelinolysis. *MovDisord*2007;22:892-894

Owczarczyk K, **Hilker R**, Brunn A, Hallek M, Rubbert A. Progressive multifocal leucoencephalopathy in a patient with sarcoidosis - successful treatment with cidofovir and mirtazapine. *Rheumatology* 2007;46:888-890

Burghaus L, **Hilker R**, Thiel A, Galldiks N, Lehnhardt FG, Zaro-Weber O, Sturm V, Heiss WD. Deep brain stimulation of the subthalamic nucleus reversibly deteriorates stuttering in advanced Parkinson's Disease. *J Neural Transm* 2006;113:625-631

Hilker R, Thiel A, Geisen C, Rudolf J. Cerebral blood flow and glucose metabolism in multi-infarct-dementia related to primary antiphospholipid antibody syndrome. *Lupus* 2000;9:311-316

Rudolf J, **Hilker R**, Terstegge K, Ernestus RI. Extended hemorrhagic infarction following isolated cortical venous thrombosis. *EurNeurol* 1999;41:115-116

Hilker R, Mielke R, Berthold F, Schröder R, Heiss WD. Mischtumoren der Pinealisregion: Diagnose und Therapie bei Vorliegen sezernierender Keimzelltumoranteile. *Nervenarzt* 1998;13:739-745

Buchbeiträge

Hilker R, Benecke R. Bewegungsstörungen. In: Sitzer M, Steinmetz H. Lehrbuch der Neurologie. Elsevier GmbH, Urban & Fischer Verlag, München, 2011

Hilker R, Burghaus L, Razai N, Jacobs AH, Szelies B, Heiss WD. Functional brain imaging in combined motor and sleep disorders. *In: Korczyn AS. Mental Dysfunctions in Parkinson's Disease. Medimond International Proceedings, Salzburg 2004*